

Revision Date: 04/03/2020

SAFETY DATA SHEET

1. Identification

Product identifier: ROJAN - DISINFECTANT SPRAY Q - COUNTRY FRESH SCENT

Other means of identification

SDS number: RE1000038686

Recommended restrictions
Product Use: Disinfectant
Restrictions on use: Not known.

Manufacturer/Importer/Distributor Information

Manufacturer

Company Name: CLAIRE MANUFACTURING COMPANY

Address: 1000 Integram Dr

Pacific, MO 63069

Telephone: 1-630-543-7600

Fax:

Emergency telephone number: 1-866-836-8855

2. Hazard(s) identification

Hazard Classification Physical Hazards

Flammable aerosol Category 1

Health Hazards

Serious Eye Damage/Eye Irritation Category 2A

Label Elements

Hazard Symbol:



Signal Word: Danger

Hazard Statement: Extremely flammable aerosol.

Causes serious eye irritation.

Precautionary Statements

Prevention: Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Wash thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face

protection.



Revision Date: 04/03/2020

Response: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. If eye irritation

persists: Get medical advice/attention.

Storage: Protect from sunlight. Do not expose to temperatures exceeding

50°C/122°F.

Hazard(s) not otherwise classified (HNOC):

None.

3. Composition/information on ingredients

Mixtures

Chemical Identity	CAS number	Content in percent (%)*
Ethanol	64-17-5	10 - <20%
Ethanol, 2-(2-butoxyethoxy)-	112-34-5	10 - <20%
Propane	74-98-6	1 - <5%
Butane	106-97-8	1 - <5%
Glycine, N,N'-1,2-ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)	64-02-8	1 - <3%

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

4. First-aid measures

Ingestion: Call a POISON CENTER/doctor if you feel unwell. Rinse mouth.

Inhalation: Move to fresh air.

Skin Contact: Wash skin thoroughly with soap and water. If skin irritation occurs: Get

medical advice/attention.

Eye contact: Immediately flush with plenty of water for at least 15 minutes. If easy to do,

remove contact lenses. Get medical attention.

Most important symptoms/effects, acute and delayed

Symptoms: No data available.

Hazards: No data available.

Indication of immediate medical attention and special treatment needed

Treatment: No data available.

5. Fire-fighting measures

General Fire Hazards: Use water spray to keep fire-exposed containers cool. Fight fire from a

protected location. Move containers from fire area if you can do so without

risk.

Suitable (and unsuitable) extinguishing media

Suitable extinguishing

media:

Use fire-extinguishing media appropriate for surrounding materials.

Unsuitable extinguishing

media:

Do not use water jet as an extinguisher, as this will spread the fire.

SDS US - RE1000038686



Revision Date: 04/03/2020

Specific hazards arising from

the chemical:

Vapors may travel considerable distance to a source of ignition and flash

back.

Special protective equipment and precautions for firefighters

Special fire fighting

procedures:

No data available.

Special protective equipment

for fire-fighters:

Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in

enclosed spaces, SCBA.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures: Ventilate closed spaces before entering them. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Keep

upwind.

Methods and material for containment and cleaning

up:

Absorb spill with vermiculite or other inert material, then place in a container

for chemical waste.

Notification Procedures: Prevent entry into waterways, sewer, basements or confined areas. Stop

the flow of material, if this is without risk. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Stop leak if you

can do so without risk.

Environmental Precautions: Do not contaminate water sources or sewer. Prevent further leakage or

spillage if safe to do so.

7. Handling and storage

Precautions for safe handling: Avoid contact with eyes. Wash hands thoroughly after handling. Keep away

from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not

pierce or burn, even after use.

Conditions for safe storage,

including any incompatibilities:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C. Do not pierce or burn, even after use.

Aerosol Level 1

8. Exposure controls/personal protection

Control Parameters

Occupational Exposure Limits

Chemical Identity	Туре	Exposure	Limit Values	Source
Ethanol	REL	1,000 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (2009)
Ethanol, 2-(2-butoxyethoxy) Inhalable fraction and vapor.	TWA	10 ppm		US. ACGIH Threshold Limit Values (03 2013)
Propane	REL	1,000 ppm	1,800 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	PEL	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000) (02 2006)
	TWA	1,000 ppm	1,800 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)



Revision Date: 04/03/2020

				-
Butane	REL	800 ppm	1,900 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards (2005)
	STEL	1,000 ppm		US. ACGIH Threshold Limit Values (03 2018)
	TWA	800 ppm	1,900 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
2-Propanol, 2-methyl-	STEL	150 ppm	450 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards
•			•	(2005)
	TWA	100 ppm	300 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	PEL	100 ppm	300 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants
			•	(29 CFR 1910.1000) (02 2006)
	TWA	100 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	150 ppm	450 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	REL	100 ppm	300 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards
				(2005)
Sodium hydroxide (Na(OH))	Ceiling		2 mg/m3	US. ACGIH Threshold Limit Values (2008)
	Ceiling		2 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	Ceil_Time		2 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards
				(2005)
	PEL		2 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants
				(29 CFR 1910.1000) (02 2006)
Ammonium hydroxide ((NH4)(OH))	STEL	35 ppm		US. ACGIH Threshold Limit Values (2008)
	TWA	25 ppm		US. ACGIH Threshold Limit Values (2008)
	STEL	35 ppm	27 mg/m3	US. OSHA Table Z-1-A (29 CFR 1910.1000) (1989)
	STEL	35 ppm	27 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards
			•	(2005)
	REL	25 ppm	18 mg/m3	US. NIOSH: Pocket Guide to Chemical Hazards
				(2005)
	PEL	50 ppm	35 mg/m3	US. OSHA Table Z-1 Limits for Air Contaminants
				(29 CFR 1910.1000) (02 2006)
Acetic acid, phenylmethyl ester	TWA	10 ppm		US. ACGIH Threshold Limit Values (2008)

Appropriate Engineering Controls

No data available.

Individual protection measures, such as personal protective equipment

General information: Provide easy access to water supply and eye wash facilities. Good general

ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable

level.

Eye/face protection: Wear safety glasses with side shields (or goggles).

Skin Protection

Hand Protection: No data available.

Other: No data available.

Respiratory Protection: In case of inadequate ventilation use suitable respirator. Seek advice from

local supervisor.

Hygiene measures: Avoid contact with eyes. Observe good industrial hygiene practices. When

using do not smoke.

9. Physical and chemical properties

Appearance

Physical state: liquid

Form: Spray Aerosol
Color: No data available.



Revision Date: 04/03/2020

Odor: No data available. **Odor threshold:** No data available. pH: No data available. Melting point/freezing point: No data available. Initial boiling point and boiling range: No data available. Flash Point: Estimated -104.44 °C **Evaporation rate:** No data available. Flammability (solid, gas): No data available.

Upper/lower limit on flammability or explosive limits

Flammability limit - upper (%): Estimated 9.5 %(V)
Flammability limit - lower (%): Estimated 1.9 %(V)
Explosive limit - upper (%): No data available.
Explosive limit - lower (%): No data available.

Vapor pressure: Estimated 5,171 - 6,550 hPa (20 °C)

Vapor density:No data available.Density:No data available.Relative density:No data available.

Solubility(ies)

Solubility in water:
Solubility (other):
No data available.
Viscosity:
No data available.
No data available.

10. Stability and reactivity

Reactivity: No data available.

Chemical Stability: Material is stable under normal conditions.

Possibility of hazardous

reactions:

No data available.

Conditions to avoid: Avoid heat or contamination.

Incompatible Materials: No data available.

Hazardous Decomposition

Products:

No data available.

11. Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Skin Contact: No data available.

Eve contact: No data available.

Ingestion: No data available.



Revision Date: 04/03/2020

Symptoms related to the physical, chemical and toxicological characteristics

Inhalation: No data available.

Skin Contact: No data available.

Eve contact: No data available.

No data available. Ingestion:

Information on toxicological effects

Acute toxicity (list all possible routes of exposure)

Product: ATEmix: 149,894.74 mg/kg

Dermal

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Ethanol LD 50 (Rabbit): 17,100 mg/kg

Ethanol, 2-(2-

butoxyethoxy)-

LD 50 (Rabbit): 2,764 mg/kg

LD 50: > 2,000 mg/kg

Glycine, N,N'-1,2-

ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

Inhalation

Product: Not classified for acute toxicity based on available data.

Specified substance(s):

Ethanol LC 50 (Rat): 124.7 mg/l

LC 50: > 5 mg/l

Ethanol, 2-(2-

butoxyethoxy)-

LC 50 (Various): > 20 mg/l

Propane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Butane LC 50: > 100 mg/l

LC 50: > 100 mg/l

Glycine, N,N'-1,2-

ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

LOAEL (Rat): 30 mg/m3

Repeated dose toxicity

Product: No data available.

Specified substance(s):

Ethanol NOAEL (Rat(Male), Oral, 7 - 14 Weeks): 10 %(m) Oral Experimental result,

Key study



Revision Date: 04/03/2020

Ethanol. 2-(2-NOAEL (Rat(Female, Male), Oral, 90 d): 250 mg/kg Oral Experimental

butoxyethoxy)result, Key study

NOAEL (Rat(Female, Male), Dermal, 13 Weeks): > 2,000 mg/kg Dermal

Experimental result. Key study

NOAEL (Rat(Female, Male), Inhalation, 90 - 120 d); 14 ppm(m) Inhalation

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation Propane

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation

Experimental result, Key study

LOAEL (Rat(Female, Male), Inhalation, >= 28 d): 12,000 ppm(m) Inhalation Butane

Experimental result, Key study

NOAEL (Rat(Female, Male), Inhalation, >= 28 d): 4,000 ppm(m) Inhalation

NOAEL (Rat(Female, Male), Oral, 103 Weeks): >= 500 mg/kg Oral Read-

Experimental result, Key study

Glycine, N,N'-1,2ethanediylbis[N-

across from supporting substance (structural analogue or surrogate), Key study

(carboxymethyl)-, sodium

salt (1:4) LOAEL (Rat(Male), Inhalation, 1 - 5 d): 30 mg/m3 Inhalation Read-across

from supporting substance (structural analogue or surrogate), Key study

Skin Corrosion/Irritation

No data available. Product:

Specified substance(s):

Ethanol in vivo (Rabbit): Not irritant Experimental result, Key study

Ethanol, 2-(2butoxyethoxy)- in vivo (Rabbit): Not irritant Experimental result, Supporting study

Glycine, N,N'-1,2ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)

in vivo (Rabbit): Not irritant Experimental result, Key study

Serious Eye Damage/Eye Irritation

Product: No data available.

Specified substance(s):

Ethanol Rabbit, 1 - 24 hrs: Not irritating

Rabbit, 24 - 72 hrs: Highly irritating Ethanol, 2-(2-

butoxyethoxy)-

Respiratory or Skin Sensitization

Product: No data available.

Specified substance(s):

Ethanol Skin sensitization:, in vivo (Guinea pig): Non sensitising Skin sensitization:, in vivo (Guinea pig): Non sensitising Ethanol, 2-(2-

butoxyethoxy)-

Glycine, N,N'-1,2-Skin sensitization:, in vivo (Guinea pig): Non sensitising

ethanediylbis[N-(carboxymethyl)-, sodium salt (1:4)

Carcinogenicity

No data available. **Product:**



Revision Date: 04/03/2020

IARC Monographs on the Evaluation of Carcinogenic Risks to Humans:

No carcinogenic components identified

US. National Toxicology Program (NTP) Report on Carcinogens:

No carcinogenic components identified

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050):

No carcinogenic components identified

Germ Cell Mutagenicity

In vitro

Product: No data available.

In vivo

Product: No data available.

Reproductive toxicity

Product: No data available.

Specific Target Organ Toxicity - Single Exposure Product: No data available.

Specific Target Organ Toxicity - Repeated Exposure Product: No data available.

Aspiration Hazard

Product: No data available.

Other effects: No data available.

12. Ecological information

Ecotoxicity:

Acute hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Ethanol LC 50 (Pimephales promelas, 96 h): 15.3 g/l Experimental result, Key study

Ethanol, 2-(2-LC 50 (Lepomis macrochirus, 96 h): 1,300 mg/l Experimental result, Key

butoxyethoxy)-

LC 50 (Pimephales promelas, 96 h): 2,400 mg/l Experimental result,

Supporting study

Propane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Butane LC 50 (Various, 96 h): 147.54 mg/l QSAR QSAR, Key study

Glycine, N,N'-1,2-LC 50 (Lepomis macrochirus, 96 h): 121 mg/l Experimental result, Key study ethanediylbis[N-NOAEL (Lepomis macrochirus, 96 h): 88 mg/l Experimental result, Key

(carboxymethyl)-, sodium study

salt (1:4)

Aquatic Invertebrates

No data available. Product:



Revision Date: 04/03/2020

Specified substance(s):

Ethanol LC 50 (Ceriodaphnia dubia, 48 h): 5,012 mg/l Experimental result, Key study

Ethanol, 2-(2- LC 50 (Daphnia magna, 48 h): +/- 1,743 mg/l QSAR QSAR, Supporting

butoxyethoxy)- study

Butane LC 50 (Daphnia sp., 48 h): 69.43 mg/l QSAR QSAR, Key study

Glycine, N,N'-1,2ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

EC 50 (Daphnia magna, 24 h): 610 mg/l Experimental result, Key study

Chronic hazards to the aquatic environment:

Fish

Product: No data available.

Specified substance(s):

Ethanol NOAEL (Oryzias latipes): 7,900 mg/l Read-across from supporting

substance (structural analogue or surrogate), Supporting study

Glycine, N,N'-1,2ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

NOAEL (Danio rerio): >= 25.7 mg/l Read-across from supporting substance

(structural analogue or surrogate), Key study

Aquatic Invertebrates

Product: No data available.

Specified substance(s):

Ethanol LC 50 (Daphnia magna): 454 mg/l Experimental result, Key study

NOAEL (Daphnia magna): 9.6 mg/l Experimental result, Key study

Glycine, N,N'-1,2ethanediylbis[N-

(carboxymethyl)-, sodium

salt (1:4)

NOAEL (Daphnia magna): 25 mg/l Read-across from supporting substance

(structural analogue or surrogate), Key study

Toxicity to Aquatic Plants

Product: No data available.

Persistence and Degradability

Biodegradation

Product: No data available.

Specified substance(s):

Ethanol 95 % Detected in water. Experimental result, Key study

Ethanol, 2-(2- 85 % (28 d) Detected in water. Experimental result, Key study butoxyethoxy)-

Propane 100 % (385.5 h) Detected in water. Experimental result, Key study

50 % (3.19 d) Detected in water. QSAR, Weight of Evidence study

Butane 100 % (385.5 h) Detected in water. Experimental result, Key study



Revision Date: 04/03/2020

Glycine, N,N'-1,2ethanediylbis[N- 90 - 100 % (28 d) Detected in water. Read-across from supporting substance (structural analogue or surrogate), Weight of Evidence study

(carboxymethyl)-, sodium

salt (1:4)

BOD/COD Ratio

Product: No data available.

Bioaccumulative potential

Bioconcentration Factor (BCF)

Product: No data available.

Specified substance(s):

Ethanol Cyprinus carpio, Bioconcentration Factor (BCF): 4.5 Aquatic sediment Read-

across from supporting substance (structural analogue or surrogate),

Supporting study

Glycine, N,N'-1,2-

Lepomis macrochirus, Bioconcentration Factor (BCF): 1.8 Aquatic sediment

ethanediylbis[N- Experimental result, Key study

(carboxymethyl)-, sodium salt (1:4)

Partition Coefficient n-octanol / water (log Kow)

Product: No data available.

Mobility in soil: No data available.

Known or predicted distribution to environmental compartments

Ethanol No data available. Ethanol, 2-(2-butoxyethoxy)- No data available. Propane No data available. Butane No data available. Glycine, N,N'-1,2-ethanediylbis[N- No data available.

(carboxymethyl)-, sodium salt (1:4)

Other adverse effects: No data available.

13. Disposal considerations

Disposal instructions: Wash before disposal. Dispose to controlled facilities.

Contaminated Packaging: No data available.

14. Transport information

DOT

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2.1
Label(s): –
Packing Group: II
Marine Pollutant: No

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.



Revision Date: 04/03/2020

IMDG

UN Number: UN 1950

UN Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es)

Class: 2 Label(s): – EmS No.:

Packing Group: -

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

IATA

UN Number: UN 1950

Proper Shipping Name: Aerosols, flammable

Transport Hazard Class(es):

Class: 2.1
Label(s): –

Packing Group: –

Environmental Hazards: No Marine Pollutant No

Special precautions for user: Not regulated.

15. Regulatory information

US Federal Regulations

Restrictions on use: Not known.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

None present or none present in regulated quantities.

CERCLA Hazardous Substance List (40 CFR 302.4):

Chemical Identity	Reportable quantity
Ethanol	lbs. 100
Propane	lbs. 100
Butane	lbs. 100
2-Propanol, 2-methyl-	lbs. 100
Sodium hydroxide (Na(OH))	lbs. 1000
Ammonium hydroxide ((NH4)(OH))	lbs. 1000

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Fire Hazard

Immediate (Acute) Health Hazards

Flammable aerosol

Serious Eye Damage/Eye Irritation

SARA 302 Extremely Hazardous Substance

None present or none present in regulated quantities.



Revision Date: 04/03/2020

SARA 304 Emergency Release Notification

Chemical Identity	Reportable quantity
Ethanol	lbs. 100
Ethanol, 2-(2-butoxyethoxy)-	
Propane	lbs. 100
Butane	lbs. 100
2-Propanol, 2-methyl-	lbs. 100
Sodium hydroxide (Na(OH))	lbs. 1000
Ammonium hydroxide ((NH4)(OH))	lbs. 1000

SARA 311/312 Hazardous Chemical

Chemical Identity	Threshold Planning Quantity
Ethanol	10000 lbs
Ethanol, 2-(2-butoxyethoxy)-	10000 lbs
Propane	10000 lbs
Butane	10000 lbs
Glycine, N,N'-1,2-ethanediylbis[N-	10000 lbs
(carboxymethyl)-, sodium salt (1:4)	
2-Propanol, 2-methyl-	10000 lbs
Quaternary ammonium compounds, C12-14-	10000 lbs
alkyl[(ethylphenyl)methyl]dimethyl, chlorides	
Sodium hydroxide (Na(OH))	10000 lbs
Ammonium hydroxide ((NH4)(OH))	10000 lbs
Acetic acid, phenylmethyl ester	10000 lbs

SARA 313 (TRI Reporting)

	Reporting threshold	Reporting threshold for
Chemical Identity	for other users	manufacturing and processing
Ethanol, 2-(2-	N230 lbs	N230 lbs.
butoxyethoxy)-		

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130): Clean Water Act Section 311 Hazardous Substances (40 CFR 117.3) US State Regulations

US. California Proposition 65

No ingredient requiring a warning under CA Prop 65.

US. New Jersey Worker and Community Right-to-Know Act Chemical Identity

Ethanol

Ethanol, 2-(2-butoxyethoxy)-

Propane

Butane

US. Massachusetts RTK - Substance List

Chemical Identity

Glycine, N,N-bis(carboxymethyl)-, sodium salt (1:3)

US. Pennsylvania RTK - Hazardous Substances

Chemical Identity

Ethanol

Ethanol, 2-(2-butoxyethoxy)-

Propane

Butane

US. Rhode Island RTK

No ingredient regulated by RI Right-to-Know Law present.

International regulations

Montreal protocol

Not applicable



Revision Date: 04/03/2020

Stockholm convention

Not applicable

Rotterdam convention

Not applicable

Kyoto protocol

Not applicable

Inventory Status:

Australia AICS: Not in compliance with the inventory.

Canada DSL Inventory List: Not in compliance with the inventory.

Canada NDSL Inventory: Not in compliance with the inventory.

Ontario Inventory: Not in compliance with the inventory.

China Inv. Existing Chemical Substances:

On or in compliance with the inventory

Japan (ENCS) List: Not in compliance with the inventory.

Japan ISHL Listing: Not in compliance with the inventory.

Japan Pharmacopoeia Listing: Not in compliance with the inventory.

Korea Existing Chemicals Inv. (KECI): Not in compliance with the inventory.

Mexico INSQ: Not in compliance with the inventory.

Philippines PICCS: Not in compliance with the inventory.

Taiwan Chemical Substance Inventory:

On or in compliance with the inventory

US TSCA Inventory: On or in compliance with the inventory

EINECS, ELINCS or NLP: Not in compliance with the inventory.

New Zealand Inventory of Chemicals: Not in compliance with the inventory.

16.Other information, including date of preparation or last revision

Issue Date: 04/03/2020

Revision Information: No data available.

Version #: 1.1

Further Information: FIFRA: This chemical is a pesticide product registered by the United States

Environmental Protection Agency and is subject to certain labeling

requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The pesticide label also includes other important information, including directions for use.

Disclaimer: This information is provided without warranty. The information is believed to

be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.