

# **ROJAN HEAVY DUTY FLOOR STRIPPER**

Rojan Heavy Duty Floor	Stripper is an economical	l stripper and cleane	er that can be used of	on terrazzo, concre	te, vinyl and
rubber floors and surfaces	s. It removes:				

wax	grease	polish build up
oil	dirt	heel marks and carbon from tiles

#### **DIRECTIONS FOR USE**

# For Stripping

- 1. Dilute 1 part *Floor Stripper* to eight parts warm water (16oz per gallon).
- 2. Apply evenly to surface.
- 3. Let stand for 5 minutes.
- 4. Agitate with scrapper, brush, mop or machine. DO NOT ALLOW TO DRY ON SURFACE
- 5. Rinse thoroughly to remove all residues and allow to dry before applying *Rojan Heavy Duty Floor Polish*.

# For General Cleaning

- 1. Dilute 1 part Floor Stripper to 8 parts warm water (8oz per gallon).
- 2. Apply to desired surface.
- 3. Rinse thoroughly.

# **SPECIFICATIONS**



# SAFETY DATA SHEET

# **SECTION I – PRODUCT NAME AND MANUFACTURER**

Trade Name: ROJAN HEAVY DUTY FLOOR STRIPPER

Recommended use: Floor Polish

**Manufacturer Name and Address:** Distributed by:

Langston Roach Industries Limited Rojan Marketing Limited

106 Saddle Road, San Juan, Trinidad, W.I. 19A El Socorro Rd, Extension #1, San Juan, Trinidad, W.I. Tel: 1-868-674-0216 Fax: 1-868-675-3654

www.rojanmarketing.com

#### **SECTION II - DESCRIPTION OF HAZARDS**

Avoid inhalation. Skin and eye irritant. General:

Inhalation: Harmful by inhalation

Skin: May cause chemical burns on contact

Eyes: May cause chemical burns on contact. Avoid contact with eyes.



SECTION III - COMPOSITION								
Ingredient	CAS#	Parts (%) *						
Water	7732-18-5	60-100						
Glycol ether DPM	34590-94-8	5-10						
Ethylene diamine tetraacetic acid, tetrasodium salt	13236-36-4	5-10						
Primary alcohol ethoxylates	66455-14-9	3-7						
Polyoxyethylene octyl phenol	9002-93-1	1-5						
Sodium metasilicate	6834-92-0	1-5						
Triethanolamine	102-71-6	1-5						
Sodium hydroxide	1310-73-2	0.1-1.0						

<sup>\*</sup>Exact composition withheld as a Trade Secret.

# **SECTION IV - FIRST AID MEASURES**

General: Rinse with water. Treat symptomatically.

Rinse mouth with water. Drink copious amounts of water. Do not induce vomiting. Never give anything by Ingestion:

mouth to an unconscious person.

Skin: Rinse off immediately with water. Wash skin with soap and water.

Immediately flush eyes with plenty of water for at least 15 minutes. Consult a physician. Eyes:

# **SECTION V - FIRE-FIGHTING MEASURES**

Flammability: Extinguisher: N/A

Hazardous decomposition products: Carbon dioxide, carbon monoxide, hydrocarbons.

#### **SECTION VI - ACCIDENTAL RELEASE MEASURES**

General: Product is expected to be toxic to aquatic environment.

**Environmental Precautions:** Avoid release of large amounts of undiluted product into aquatic systems and surface soil.

Stop leak if it is safe to do so. Dike and contain spill with inert material (sand, earth, etc). Mop Spill procedures:

up spilled liquid with absorbent material. Rinse with water.

#### **SECTION VII - HANDLING AND STORAGE**

Rules defining care as to use: Use in a well-ventilated area, or with an appropriate respiratory device.

Rules defining care as to storage: Keep containers tightly closed in a dry, cool, well-ventilated place. Do not store at very

hot or very cold temperatures. Do not store in direct sunlight.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. LANGSTON ROACH INDUSTRIES LIMITED ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDESS, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

# SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Preventive measures protective equipment, etc.:

Eye protection: Use safety glasses or goggles.

Hand protection: Use gloves.

Skin and body protection: Wear appropriate impervious clothing, boots etc.

Respiratory protection: Use in a well-ventilated area, or with an appropriate respiratory device.

#### SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Clear, non-viscous liquid **pH:** 11.0 – 12.0

**Solubility:** Completely miscible with water

#### **SECTION X - STABILITY AND REACTIVITY**

Stable liquid. The product is highly alkaline

#### **SECTION XI - TOXICOLOGICAL INFORMATION**

Medical personnel: Corrosive Liquid. ROJAN HEAVY DUTY FLOOR STRIPPER contains the ingredients listed in (Section

II). Treat symptomatically.

**Routes of Exposure:** 

Eyes: May cause burns on contact Skin: May cause burns on contact

Ingestion: May cause irritation of the digestive tract.
Inhalation: May cause irritation of the respiratory tract.

# **SECTION XII- ECOLOGICAL INFORMATION**

Biodegradability: No data available

Aquatic toxicity (Product): No data available

Aquatic toxicity (Components): t-Octylphenoxypolyethoxyethanol: LC50 Test 1-10mg/L (96h, Fish)

Primary alcohol ethoxylates: 2.15 mg/L (OECD 202, Fish)

# **SECTION XIII - DISPOSAL CONSIDERATION**

Disposal Method: Must be disposed of in accordance with Federal, state and local environmental control regulations.

## **SECTION XIV - TRANSPORTATION INFORMATION**

**General:** 4 L to 208 L plastic containers.

Transport and danger class: Not regulated.

## **SECTION XV - REGULATORY INFORMATION**

Labeling of packages: The product is labeled in accordance with TTBS Standard TTS 76: Part 15: 2005

#### **SECTION XVI – OTHER INFORMATION**

Updated 17/05/21