



LANHER FLOOR POLISH

Lanher Floor Polish is a tough acrylic, self-shining, high gloss, non-skid floor polish that stands up to heavy traffic, resists scuffing, water spotting and mild detergent washing. It is ideal for use on terrazzo, tiles, vinyl, linoleum, polish stones and floors that do not need wax.

DIRECTIONS

Apply polish directly to clean, dry floor, with a clean mop or applicator. Allow to dry for 20 mins. A second coat may be applied when dry for increased shine and protection.

For first time use, floor should be cleaned with Lanher Floor Stripper the rinsed with water and dried. Floor should be stripped every 6 – 8 applications of floor polish to prevent discoloration.

SPECIFICATIONS

pH..... 7.0 – 8.0
Appearance..... White, low viscosity liquid
Clarity..... Opaque
Odour..... Pleasant
Storage Stability..... Excellent, at least one (1) year

Packaging

2 L, 4 L, 18 L,
208 L

106 SADDLE ROAD, SAN JUAN, TRINIDAD, W.I. PHONE (868) 674-0216 FAX (868) 675-3654

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. LANGSTON ROACH INDUSTRIES LIMITED ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

SAFETY DATA SHEET

SECTION I – PRODUCT NAME AND MANUFACTURER

Trade Name: LANHER FLOOR POLISH

Recommended Use: Floor Care

Manufacturer Name and Address:

Langston Roach Industries Limited

106 Saddle Road, San Juan, Trinidad, W.I.

Tel: 1-868-674-0216 Fax: 1-868-675-3654

Lanher
the Best way to Clean!



SECTION II – DESCRIPTION OF HAZARDS

General: Avoid inhalation. Skin and eye irritant.
Inhalation: Over exposure to vapours may be harmful.
Skin: Mild skin irritant.
Eyes: Causes eye irritation. Avoid contact with eyes.



SECTION III – COMPOSITION

Contains	CAS#	Parts (%)
Water	7732-18-5	80 – 100
Styrene acrylic copolymer	Proprietary	10-30
2-(2-Ethoxyethoxyethanol)	111-90-0	1-5
Tributoxyethyl phosphate	78-51-3	1-5
Zinc oxide	1314-13-2	0.1-1
Ammonia	7664-41-7	0.1-1

SECTION IV – FIRST AID MEASURES

General: Rinse with water. Treat symptomatically.
Ingestion: Rinse mouth with water. Drink copious amounts of water.
Skin: Rinse off immediately with water. Wash skin with soap and water.
Eyes: Rinse thoroughly with plenty of water for at least 15 minutes. Consult a physician.

SECTION V – FIRE-FIGHTING MEASURES

Flammability: No.
Extinguisher: N/A
Hazardous decomposition products: Carbon dioxide, carbon monoxide, hydrocarbons

SECTION VI – ACCIDENTAL RELEASE MEASURES

General: This product is expected to be toxic to aquatic environment
Spill Procedures: Flush away traces with water. For large spills, dike spilled material or otherwise contain material to ensure runoff does not reach a waterway.
Environmental Precautions: Do not allow contact with soil, surface or ground water.

SECTION VII – HANDLING AND STORAGE

Rules defining care as to use: Use in a well-ventilated area, or with an appropriate respiratory device.
Rules defining care as to storage: Keep containers tightly closed in a dry, cool, well-ventilated place. Do not store at very hot or very cold temperatures. Do not store in direct sunlight.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. LANGSTON ROACH INDUSTRIES LIMITED ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

SECTION VIII – EXPOSURE CONTROLS/PERSONAL PROTECTION

Preventive measures protective equipment, etc.:

Eye protection: Use safety glasses or goggles.

Hand protection: Use gloves.

Skin and body protection: Wear appropriate impervious clothing, boots etc.

Respiratory protection: Use in a well-ventilated area, or with an appropriate respiratory device.

SECTION IX – PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Opaque. Off – white liquid

Viscosity @ 25°C: N.Av.

pH: 8.0 – 9.0

SECTION X – STABILITY AND REACTIVITY

Stable liquid.

SECTION XI – TOXICOLOGICAL INFORMATION

Medical personnel: LANHER FLOOR POLISH contains the ingredients listed in Section III. Treat symptomatically.

Routes of Exposure:

Eyes: May cause slight irritation

Skin: Prolonged or repeated contact may dry skin and cause irritation.

Ingestion: Not an expected route of exposure. Do not taste or swallow.

Inhalation: May cause irritation of the respiratory tract

SECTION XII– ECOLOGICAL INFORMATION

Biodegradability (Product): No data available

Biodegradability (Components):

No data available

Aquatic Toxicity (Product): No data available

Aquatic Toxicity (Components):

2-(2-Ethoxyethoxyethanol): LC50 > 10,000 mg/L – fish

Tributoxyethyl phosphate: LC50 10.4 – 12.0 mg/L – fish

Ammonia: LC50 0.5 – 5.0 mg/L – fish

SECTION XIII – DISPOSAL CONSIDERATION

Disposal Method: Must be disposed of in accordance with Federal, state and local environmental control regulations.

SECTION XIV – TRANSPORTATION INFORMATION

General: 2 L to 208 L plastic containers.

Transport and danger class: Harmless goods, not subject to restriction.

SECTION XV – REGULATORY INFORMATION

Labeling of packages: The product is labeled in accordance with TTBS Standard **TTS 76: Part 15: 2005**

SECTION XVI – OTHER INFORMATION

Updated 23/02/21

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. LANGSTON ROACH INDUSTRIES LIMITED ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.