



FLOOR STRIPPER

<i>Lanher Floor</i> and surfaces.	• •	ripp	er and cleaner that can be us	sed (on terrazzo, concrete, vinyl and rubber floors
0	wax oil	<u> </u>	grease dirt	<u> </u>	polish build up heel marks and carbon from tiles

APPLICATIONS

For Stripping

- 1. Dilute 1 part Lanher Floor Stripper to eight parts warm water (16oz per gallon).
- 2. Apply evenly to surface.
- 3. Let stand for 5 minutes.
- 4. Agitate with scrapper, brush, mop or machine.
 - DO NOT ALLOW TO DRY ON SURFACE
- 5. Rinse thoroughly to remove all residues and allow to dry before applying Lanher High Gloss Floor Polish.

For General Cleaning

- 1. Dilute 1 part Lanher Floor Stripper to 8 parts warm water (8oz per gallon).
- 2. Apply to desired surface.
- 3. Rinse thoroughly.

SPECIFICATIONS FOR FLOOR STRIPPER

106 SADDLE ROAD, SAN JUAN, TRINIDAD, W.I. PHONE (868) 674-0216 FAX (868) 675-3654

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. LANGSTON ROACH INDUSTRIES LIMITED ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

SAFETY DATA SHEET

SECTION I - PRODUCT NAME AND MANUFACTURER

Trade Name: LANHER FLOOR STRIPPER

Recommended Use: Floor Care

Manufacturer Name and Address: Langston Roach Industries Limited

106 Saddle Road, San Juan, Trinidad, W.I. Tel: 1-868-674-0216 Fax: 1-868-675-3654





SECTION II - DESCRIPTION OF HAZARDS

General: Corrosive

Inhalation: Over exposure to vapours may be harmful Skin: May cause chemical burns on contact Eyes: May cause chemical burns on contact



SECTION III - COMPOSITION						
Contains	CAS#	Parts (%)				
Water	7732-18-5	60 – 90				
Glycol ether DPM	3459-94-8	5 – 10				
Ethylene diamine tetraacetate	13236-36-4	5 – 10				
Primary alcohol ethoxylates	66455-14-9	3 – 7				
Polyoxyethylene octyl phenol	9002-93-1	1 – 5				
Sodium metasilicate	6834-92-0	1 – 5				
Triethanolamine	102-71-6	1 – 5				
Sodium hydroxide	1310-73-2	0.5 – 1.0				

SECTION IV - FIRST AID MEASURES

General: Wash area with water **Inhalation:** Remove victim to fresh air.

Ingestion: Do not induce vomiting. Drink two glasses of water and follow with orange juice. Never give anything by

mouth to an unconscious person. Get medical attention immediately.

Skin: Flush thoroughly with cool water. Remove and wash contaminated clothing and shoes before reuse.

Eyes: Immediately flush eyes with sanitary eye wash solution. Continue to wash eyes with water for at least 15

minutes.

SECTION V - FIRE-FIGHTING MEASURES

Flammability: No. **Extinguisher:** N/A

SECTION VI - ACCIDENTAL RELEASE MEASURES

Spill Procedures: Dike and contain spill with inert material (sand, diatomaceous earth etc.). Dispose of

absorbent material appropriately.

Environmental Precautions: Avoid release of large amounts of undiluted product into aquatic systems and waterways.

SECTION VII - HANDLING AND STORAGE

Rules defining care as to use: Do not use near open flames. Use in well ventilated areas.

Rules defining care as to storage: Should not be stored at temperatures higher than 40°C, otherwise effectiveness

may be reduced.

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. LANGSTON ROACH INDUSTRIES LIMITED ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.

SECTION VIII - EXPOSURE CONTROLS/PERSONAL PROTECTION

Preventive measures protective equipment, etc.: Organic respirator not required once adequate ventilation is provided. Wear natural or synthetic rubber gloves. Eyes should be protected by approved safety goggles or shield. Rubber footwear should be worn. No other protective wear required.

SECTION IX - PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, non-viscous liquid Completely miscible with water

pH: 11.0 – 12.0

SECTION X - STABILITY AND REACTIVITY

Stable liquid. This product is highly alkaline. Incompatible with strong acids.

SECTION XI - TOXICOLOGICAL INFORMATION

Medical personnel: Lanher Floor Stripper contains the ingredients listed in (Section II). Treat symptomatically.

Corrosive Liquid.

Routes of Exposure:

Eyes: May cause burns on contact Skin: May cause burns on contact

Ingestion: May cause irritation of the digestive tract. **Inhalation:** May cause irritation of the respiratory tract.

SECTION XII- ECOLOGICAL INFORMATION

Biodegradability (product): No data available

Biodegradability (Components):

Glycol ether DPM: Readily

Primary alcohol ethoxylates: Readily Polyoxyethylene octyl phenol: Readily

Sodium metasilicate: inorganic material

Aquatic toxicity (Product): No data available

Aquatic toxicity (Components):

Glycol ether DPM: LC50 > 1000 mg/L 96h - freshwater fish Primary alcohol ethoxylates: 2.15 mg/L (OECD 202, Fish)

t-Octylphenoxypolyethoxyethanol: LC50 Test 1-10mg/L (96h, Fish)

Sodium metasilicate: LC50: 210 mg/L (96 h) - fish

Triethanolamine: LC50 = 10610 - 13010 mg/L 96h - freshwater fish

SECTION XIII - DISPOSAL CONSIDERATION

Disposal Method: Must be disposed of in accordance with Federal, state and local environmental control regulations.

SECTION XIV - TRANSPORTATION INFORMATION

General: 2 L to 4 L plastic containers.

Transport and danger class: Harmless goods, not subject to restriction.

SECTION XV - REGULATORY INFORMATION

Labeling of packages: The product is labeled in accordance with TTBS Standard TTS 76: Part 15: 2005

SECTION XVI – OTHER INFORMATION

Updated 23/02/21

THE INFORMATION CONTAINED HEREIN IS BASED ON DATA CONSIDERED ACCURATE. HOWEVER, NO WARRANTY IS EXPRESSED OR IMPLIED REGARDING THE ACCURACY OF THE DATA OR THE RESULTS OBTAINED FROM THE USE THEREOF. LANGSTON ROACH INDUSTRIES LIMITED ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO VENDEES, USERS OR THIRD PARTIES CAUSED BY THE MATERIAL. SUCH VENDEES OR USERS ASSUME ALL RISKS ASSOCIATED WITH THE USE OF THE MATERIAL.